

References Cited

Anklin, M., J.M. Barnola, J. Schwander, B. Stauffer, and D. Raynaud, Processes affecting the CO₂ concentration measured in Greenland ice, *Tellus, Ser. B*, 47, 461-470, 1995.

Ahn J, and J. Brook, Atmospheric CO₂ over the last 1000 years: A high-resolution record from the West Antarctic Ice Sheet (WAIS) Divide ice core, *Global Biogeochemical Cycles/Volume 26, issue 2*, 2012.

Barnola, J.-M., M. Anklin, I Porcheron, D. Raynaud, I Schwander, and B. Stauffer, CO₂ evolution during the last millennium as recorded by Antarctic and Greenland ice, *Tellus*, 47B, 264-272, 1995.

Bauska, T.K.; Joos, F.; Mix, A.C.; Roth, R.; Ahn, J.; Brook, E.J., WAIS Divide Ice Core 1,200 Year Atmospheric CO₂ and δ¹³C_{CO₂} Data, 2015.

[ftp://ftp.ncdc.noaa.gov/pub/data/paleo/icecore/antarctica/wais2015CO₂.txt](ftp://ftp.ncdc.noaa.gov/pub/data/paleo/icecore/antarctica/wais2015CO2.txt)

Mitchell, L. E., Brook, E. J., Sowers, T., McConnell, J. R., and Taylor, K.: Multidecadal variability of atmospheric methane, 1000–1800 C.E., *J. Geophys. Res.-Biogeo.*, 116, 1–16, <https://doi.org/10.1029/2010JG001441>, 2011.

Mitchell, L. E., Brook, E., Lee, J. E., Buizert, C., and Sowers, T.: Constraints on the Late Holocene Atmospheric Methane Budget, *Science*, 342, 964–967, <https://doi.org/10.1126/science.1238920>, 2013.

Neftel, A., H. Friedli, E. Moor, H. Lötscher, H. Oeschger, U. Siegenthaler, B. Stauffer: Historical Carbon Dioxide Record from the Siple Station Ice Core. 1994. [https://cdiac.ess-dive.lbl.gov/trends/CO₂/siple.html](https://cdiac.ess-dive.lbl.gov/trends/CO2/siple.html)

NOAA ESRL Global Monitoring Division - Global Greenhouse Gas Reference Network., 2020.

Rhodes, R. H., Faïn, X., Stowasser, C., Blunier, T., Chappellaz, J., McConnell, J. R., Romanini, D., Mitchell, L. E., and Brook, E. J.: Continuous methane measurements from a late Holocene Greenland ice core: Atmospheric and in-situ signals, *Earth Planet. Sc. Lett.*, 368, 9–19, <https://doi.org/10.1016/j.epsl.2013.02.034>, 2013.

Rubino, M., Etheridge, D. M., Thornton, D. P., Howden, R., Allison, C. E., Francey, R. J., Langenfelds, R. L., Steele, L. P., Trudinger, C. M., Spencer, D. A., Curran, M. A. J., van Ommen, T. D., and Smith, A. M.: Revised records of atmospheric trace gases CO₂, CH₄, N₂O, and δ¹³C-CO₂ over the last 2000 years from Law Dome, Antarctica, *Earth Syst. Sci. Data*, 11, 473–492, <https://doi.org/10.5194/essd-11-473-2019>, 2019.

Siegenthaler, U. et. al. EPICA Dronning Maud Land CO₂ Data for the Last Millennium, 2005. [https://www1.ncdc.noaa.gov/pub/data/paleo/icecore/antarctica/maud/edml-CO₂-2005.txt](https://www1.ncdc.noaa.gov/pub/data/paleo/icecore/antarctica/maud/edml-CO2-2005.txt)

J. Tschumi and B.Stauffer, Reconstructing of the past atmospheric CO₂ concentrations based on ice-core analyses: open questions due to in situ production of CO₂ in the ice. Cambridge University Press: 2000.